Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	356	((stream$6 data$6) adj4 (splitt$6 divid$6)) with back$6	USPAT	OR	OFF	2004/04/07 09:22
S2	13	("5208805" | "5313454" | "5361091" | "5388089" | "5485370" | "5559549" | "5633861" | "6047328" | "6061330" | "6167028" | "6208653" | "6222841" | "6259696").PN.	USPAT	OR	OFF	2004/04/06 08:46
S3	104	((stream$6) adj4 (splitt$6 divid$6)) with back$6	USPAT	OR	OFF	2004/04/06 08:53
S4	974	((stream$6) same leaf)	USPAT	OR	OFF	2004/04/06 08:53
S5	78	((stream$6) same (leaf adj4 node$4))	USPAT	OR	OFF	2004/04/06 08:54
S6	34	((stream$6) with (leaf adj4 node$4))	USPAT	OR	OFF	2004/04/06 08:54
S7	4	((stream$6) with (leaf adj4 node$4)) same back$6	USPAT	OR	OFF	2004/04/06 11:00
S8	1	((stream$6) with (leaf adj4 node$4)) and (back$6 same (problem$6 fail$6))	USPAT	OR	OFF	2004/04/06 11:06
S9	19	("5291477" | "5361256" | "5420862" | "5455865" | "5483536" | "5491690" | "5495479" | "5544327" | "5550818" | "5566014" | "5590118" | "5600638" | "5603029" | "5629930" | "5649108" | "5673263" | "6067093" | "6088333" | "6111881").PN.	USPAT	OR	OFF	2004/04/06 11:03
S10	2	"6262984".URPN.	USPAT	OR	OFF	2004/04/06 11:05
S11	4	((data stream$6) with (leaf$4 adj4 node$4)) and ((backup back$$up) same (problem$6 fail$6))	USPAT	OR	OFF	2004/04/06 11:12
S12	10	((root$6 adj4 node$6) with (leaf$4 adj4 node$4)) and ((backup back$$up) same (problem$6 fail$6))	USPAT	OR	OFF	2004/04/06 11:20
S13	14	"6292905".URPN.	USPAT	OR	OFF	2004/04/06 11:16
S14	0	(((load$6 adj2 balanc$6) with (agent$6)) same ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 11:25
S15	165	(((load$6 adj2 balanc$6) and (agent$6)) and ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 11:25

S16	1	(((load$6 adj2 balanc$6) and (agent$6)) same ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 11:47
S17	0	(((fault$6 adj4 toleran$6) and (agent$6)) same ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 11:49
S18	85	(((fault$6 adj4 toleran$6)) same ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 13:23
S19	17	("5623483" | "5627822" | "5627825" | "5778187" | "5805785" | "5854898" | "5928331" | "5946294" | "5996001" | "6032189" | "6195680" | "6263371" | "6339785" | "6415323" | "6418142" | "6496477" | "6505240").PN.	USPAT	OR	OFF	2004/04/06 11:52
S20	0	"6665726".URPN.	USPAT	OR	OFF	2004/04/06 13:15
S21	0	"6665726".URPN.	USPAT	OR	OFF	2004/04/06 13:15
S22	33823	(((assum$6 reassign$6)) and ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 13:24
S23	4089	(((assum$6 reassign$6) same (fail$6 faul$6 problem$6)) and ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 13:26
S24	540	((((assum$6 reassign$6) same (primary back$8)) same (fail$6 faul$6 problem$6)) and ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	OFF	2004/04/06 13:27
S25	540	((((assum$6 reassign$6) same (primary back$8)) same (fail$6 faul$6 problem$6)) and ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	ON	2004/04/06 13:27
S26	216	((((assum$6 reassign$6) with (primary back$8)) same (fail$6 faul$6 problem$6)) and ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	ON	2004/04/06 13:38
S27	35	(((assum$6 reassign$6) with (primary back$8)) same ((spli$6 divid$6) near8 (data$8 stream$8)))	USPAT	OR	ON	2004/04/06 13:45
S28	1	"5778187".pn.	USPAT	OR	OFF	2004/04/07 09:49

S29	12	("5105184" | "5220501" | "5283731" | "5305195" | "5319455" | "5347632" | "5361256" | "5414773" | "5446919" | "5493514" | "5604542" | "5617565").PN.	USPAT	OR	OFF	2004/04/07 09:22
S30	86	"5778187".URPN.	USPAT	OR	OFF	2004/04/07 09:23
S31	0	(agent$6 near8 (root adj2 split$6))	USPAT	OR	OFF	2004/04/07 09:50
S32	0	(agent$6 with (root adj2 split$6))	USPAT	OR	OFF	2004/04/07 09:50
S33	0	((control$6 agent$6) with (root adj2 split$6))	USPAT	OR	OFF	2004/04/07 09:52
S34	668	((control$6 agent$6) with ((root adj2 split$6) (stream$6 adj4 serv$6)))	USPAT	OR	OFF	2004/04/07 09:53
S35	325	((control$6 agent$6) near8 ((root adj2 split$6) (stream$6 adj2 serv$6)))	USPAT	OR	OFF	2004/04/07 09:54
S36	14	((control$6 agent$6) near8 ((root adj2 split$6) (stream$6 adj2 serv$6))) with (back$6 primar$6)	USPAT	OR	OFF	2004/04/07 09:56
S37	319	((control$6 agent$6) near8 ((root adj2 split$6) (stream$6 adj2 serv$6))) and (back$6 primar$6)	USPAT	OR	OFF	2004/04/07 10:14
S38	0	"6864380".pn.	USPAT	OR	OFF	2004/04/07 10:14
S39	0	"6854380".pn.	USPAT	OR	OFF	2004/04/07 10:14
S40	1	"6564380".pn.	USPAT	OR	OFF	2004/04/07 10:15
S41	1	"6298455".pn.	USPAT	OR	OFF	2004/04/07 10:15
S42	27	("4546382" | "5105184" | "5132992" | "5155591" | "5220501" | "5283731" | "5305195" | "5319455" | "5347632" | "5361256" | "5414773" | "5446919" | "5493514" | "5604562" | "5617565" | "5649013" | "5675510" | "5706290" | "5778187" | "5862329" | "5878384" | "5928331" | "5930254" | "5930493" | "5931961" | "5936940" | "5983005").PN.	USPAT	OR	OFF	2004/04/07 10:19
S43	12	("5105184" | "5220501" | "5283731" | "5305195" | "5319455" | "5347632" | "5361256" | "5414773" | "5446919" | "5493514" | "5604542" | "5617565").PN.	USPAT	OR	OFF	2004/04/07 10:20

S44	12	("5105184" | "5220501" | "5283731" | "5305195" | "5319455" | "5347632" | "5361256" | "5414773" | "5446919" | "5493514" | "5604542" | "5617565").PN.	USPAT	OR	OFF	2004/04/07 10:20
S45	17	("5623483" | "5627822" | "5627825" | "5778187" | "5805785" | "5854898" | "5928331" | "5946294" | "5996001" | "6032189" | "6195680" | "6263371" | "6339785" | "6415323" | "6418142" | "6496477" | "6505240").PN.	USPAT	OR	OFF	2004/04/07 10:22
S46	0	"6298455".URPN.	USPAT	OR	OFF	2004/04/07 10:24
S47	3	("6044372" | "6058389" | "6182143").PN.	USPAT	OR	OFF	2004/04/07 10:25
S48	5	("5867799" | "5983214" | "5987460" | "5999975" | "6014654").PN.	USPAT	OR	OFF	2004/04/07 10:25
S49	10	("5619247" | "5956716" | "5991306" | "5991801" | "6011782" | "6072982" | "6115035" | "6133941" | "6157377" | "6160544").PN.	USPAT	OR	OFF	2004/04/07 10:26
S50	89	((fault$6 adj2 toler$6) with stream$8)	USPAT	OR	OFF	2004/04/07 10:29
S51	14	("4577272" | "4590551" | "4653112" | "4704725" | "4947244" | "4999771" | "5119188" | "5168353" | "5283638" | "5392223" | "5467347" | "5544161" | "5600844" | "5603058").PN.	USPAT	OR	OFF	2004/04/07 10:33
S52	3	"6112223".URPN.	USPAT	OR	OFF	2004/04/07 10:35

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S4	2	("6298455" "6182143").pn.	USPAT	OR	OFF	2004/04/08 22:51
S5	9	(US-6505240-$ or US-6151632-$ or US-6195680-$ or US-6665726-$ or US-6415323-$ or US-6298455-$ or US-6182143-$ or US-6112239-$ or US-5544327-$).did.	USPAT	OR	OFF	2004/04/08 22:52
S6	4	S5 and spli$6	USPAT	OR	OFF	2004/04/08 22:52
S7	2	(US-6665726-$ or US-6151632-$).did.	USPAT	OR	OFF	2004/04/08 23:26
S8	1	S7 and (point$8)	USPAT	OR	OFF	2004/04/08 23:02
S9	0	S7 and (point$8 near4 prese$6)	USPAT	OR	OFF	2004/04/08 23:03
S10	7581	international$6.as. and (fault$6 tole$8) and (load$6 balanc$6)	USPAT	OR	OFF	2004/04/08 23:27
S11	93	international$6.as. and (fault$6 adj2 tole$8) and (load$6 adj2 balanc$6)	USPAT	OR	OFF	2004/04/08 23:27
S12	46	international$6.as. and (fault$6 adj2 tole$8) and (load$6 adj2 balanc$6) and stream$6	USPAT	OR	OFF	2004/04/08 23:28
S13	0	international$6.as. and (fault$6 adj2 tole$8) and (load$6 adj2 balanc$6) and (stream$6 with split$6)	USPAT	OR	OFF	2004/04/08 23:28
S14	6	(fault$6 adj2 tole$8) and (load$6 adj2 balanc$6) and (stream$6 with split$6)	USPAT	OR	OFF	2004/04/08 23:31
S15	17	(cach$6 (fault$6 adj2 tole$8)) and (load$6 adj2 balanc$6) and (stream$6 with split$6)	USPAT	OR	OFF	2004/04/08 23:34
S16	944	((primar$6 with back$6) and (remov$8 with (pool$6 group$6)))	USPAT	OR	OFF	2004/04/08 23:38
S17	16	(((primar$6 with back$6) and (remov$8 with (pool$6 group$6))) same fail$8)	USPAT	OR	OFF	2004/04/08 23:36
S18	1	"6292905".pn.	USPAT	OR	OFF	2004/04/08 23:47
S19	1	"5778187".pn.	USPAT	OR	OFF	2004/04/08 19:30
S20	4	netcast$4.as.	USPAT	OR	OFF	2004/04/08 19:31
S21	1	((stream$8 near4 data) with (split$8 divid$6)) same (primary with (fail$6 back$8))	USPAT	OR	OFF	2004/04/08 19:33
S22	80	((stream$8 near4 data) with (split$8 divid$6)) and (primary with (fail$6 back$8))	USPAT	OR	OFF	2004/04/08 20:49
S23	2	("5371852" | "5815663").PN.	USPAT	OR	OFF	2004/04/08 19:40

S24	21	"6195680".URPN.	USPAT	OR	OFF	2004/04/08 19:42
S25	17	("5623483" | "5627822" | "5627825" | "5778187" | "5805785" | "5854898" | "5928331" | "5946294" | "5996001" | "6032189" | "6195680" | "6263371" | "6339785" | "6415323" | "6418142" | "6496477" | "6505240").PN.	USPAT	OR	OFF	2004/04/08 20:11
S26	12	("5105184" | "5220501" | "5283731" | "5305195" | "5319455" | "5347632" | "5361256" | "5414773" | "5446919" | "5493514" | "5604542" | "5617565").PN.	USPAT	OR	OFF	2004/04/08 20:11
S27	86	"5778187".URPN.	USPAT	OR	OFF	2004/04/08 20:12
S28	3	("5778187" | "5892535" | "6075551").PN.	USPAT	OR	OFF	2004/04/08 20:27
S29	1	"6505240".URPN.	USPAT	OR	OFF	2004/04/08 20:29
S30	18	("5774660" | "5774668" | "5822320" | "5956716" | "6003030" | "6014698" | "6052718" | "6092178" | "6098106" | "6112239" | "6115752" | "6131120" | "6195751" | "6236652" | "6327252" | "6331983" | "6331984" | "6333918").PN.	USPAT	OR	OFF	2004/04/08 20:39
S31	18	("5774660" | "5774668" | "5822320" | "5956716" | "6003030" | "6014698" | "6052718" | "6092178" | "6098106" | "6112239" | "6115752" | "6131120" | "6195751" | "6236652" | "6327252" | "6331983" | "6331984" | "6333918").PN.	USPAT	OR	OFF	2004/04/08 20:42
S32	4	"6415323".URPN.	USPAT	OR	OFF	2004/04/08 20:42
S33	81	((stream$8 near4 data) with (split$8 divid$6)) and (primary with (fail$6 back$8 (load$6 adj2 balanc$6)))	USPAT	OR	OFF	2004/04/08 20:49
S34	1	((stream$8 near4 data) with (split$8 divid$6)) and (primary with (fail$6 and (load$6 adj2 balanc$6)))	USPAT	OR	OFF	2004/04/08 21:01
S35	1	((stream$8 near4 data) with (split$8 divid$6)) and (primary same (fail$6 and (load$6 adj2 balanc$6)))	USPAT	OR	OFF	2004/04/08 21:01

S36	2	((stream$8 near4 data) same (split$8 divid$6)) and (primary same (fail$6 and (load$6 adj2 balanc$6)))	USPAT	OR	OFF	2004/04/08 21:03
S37	60	((stream$8 near4 data) same (split$8 divid$6)) and ((primary fail$6) and (load$6 adj2 balanc$6))	USPAT	OR	OFF	2004/04/08 21:04
S38	60	("4608688" | "4755928" | "5175837" | "5206939" | "5208665" | "5218695" | "5255270" | "5269011" | "5276860" | "5276867" | "5335352" | "5341493" | "5367698" | "5371532" | "5381539" | "5408465" | "5410343" | "5414455" | "5442390" | "5442749" | "5442771" | "5477263" | "5504873" | "5508732" | "5508733" | "5519435" | "5528282" | "5528513" | "5530557" | "5533021" | "5534912" | "5537408" | "5539660" | "5544313" | "5544327" | "5544345" | "5544347" | "5550577" | "5550982" | "5551025" | "5553005" | "5557317" | "5559949" | "5574662" | "5583561" | "5586264" | "5590320" | "5594910" | "5603058" | "5606359" | "5610653" | "5625405" | "5633810" | "5633999" | "5649103" | "5720037" | "5734828" | "5737495" | "5737747" | "5829046").PN.	USPAT	OR	OFF	2004/04/08 21:08
S39	20	"6061504".URPN.	USPAT	OR	OFF	2004/04/08 21:13
S40	25	("5157663" "5448723" "5513314" "5566299" "5592611" "5608865" "5652833" "5668943" "5675723" "5696895" "5708776" "5737747" "5771343" "5774640" "5781716" "5784383" "5790775" "5812748" "5815651" "5829046" "5845061" "5852720" "5864654" "5892915" "5893140").pn.	USPAT	OR	OFF	2004/04/08 21:26
S41	42	((stream$8 with spli$6) and (load$6 adj2 balanc$6))	USPAT	OR	OFF	2004/04/08 21:27
S42	26	((stream$8 with spli$6) and ((load$6 adj2 balanc$6)) and (fault$6 fail$6))	USPAT	OR	OFF	2004/04/08 21:28

| S43 | 37 | ("4845614" \| "4866712" \| "4920432" \| "4949187" \| "4949248" \| "5172413" \| "5253341" \| "5291554" \| "5371532" \| "5410343" \| "5414455" \| "5440688" \| "5442389" \| "5442390" \| "5442749" \| "5463768" \| "5475615" \| "5508732" \| "5515511" \| "5519435" \| "5528281" \| "5544313" \| "5544327" \| "5550577" \| "5550863" \| "5550982" \| "5557317" \| "5614940" \| "5704031" \| "5933835" \| "5956716" \| "6003030" \| "6016509" \| "6112239" \| "6122752" \| "6408407" \| "6446224").PN. | USPAT | OR | OFF | 2004/04/08 21:34 |

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1259	709/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:27
S2	983	709/232.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:19
S3	3611	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:20
S4	1680	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:20
S5	1573	709/226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:20
S6	1097	709/233-235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:20
S7	36	((primar$6 same back$6) with (split$6 divid$6) with (stream$6 data$6 vide$6 audi$6 media$6) and (monito$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:00
S8	83898	"709"/((231-232) (224-226) (233-235)).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:17
S9	13	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 16:28

S10	6	((primar$6 same back$6) with (stream$6 near4 (data$6 vide$6 audi$6 media$6))) same (monito$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:15
S11	414	((primar$6 back$6) with (stream$6 near4 (data$6 vide$6 audi$6 media$6))) same (monito$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:16
S12	83898	"709"/((231-232) (224-226) (233-235)).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:17
S13	86	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:17
S14	42	S13 and @ad<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:02
S15	42	S14 and (back$6 fail$6 fault$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:21
S16	3	S14 and (back$6 with (fail$6 fault$8))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/04 17:21
S17	1417	((primar$6) same (split$6) same (stream$6 data$6 vide$6 audi$6 media$6)) and (monito$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:25
S18	83899	"709"/((231-232) (224-226) (233-235)).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:01
S21	199	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:02

S22	99	S21 and @ad<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:02
S23	27	("4931950" | "5119474" | "5274758" | "5400087" | "5455910" | "5485211" | "5487167" | "5533021" | "5537408" | "5577258" | "5583561" | "5594911" | "5621728" | "5623690" | "5635979" | "5666487" | "5675732" | "5699484" | "5778187" | "5805804" | "5815505" | "5886995" | "5892535" | "5892915" | "5918002" | "5940072" | "6012100").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/07 16:08
S24	6	("6151632").URPN.	USPAT	OR	OFF	2005/02/07 16:13
S25	8	(($$config$8 with ((off$8 back$8) near8 (split$6 divid$6 stream$6)))) same ((prima$6 onlin$6) and (load$6 balan$6 monito$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:30
S26	7	(($$config$8 and ((offlin$6 backup) near8 (split$6 divid$6 stream$6)))) same ((prima$6 onlin$6) and (load$6 balan$6 monito$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/07 16:32
S27	7	("4435762" | "5159671" | "5297262" | "5404487" | "5574950" | "5742792" | "5758125").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/07 16:37
S28	433	(((down$stream$6 with up$stream$6) with stream$8) same $$config$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:20
S30	2	(((down$stream$6 with up$stream$6) with stream$8) same $$config$8) same (reconfig$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:18
S31	25	(((down$stream$6 with up$stream$6) with streaming) same $$config$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:28

S32	20	(((down$stream$6 same up$stream$6) same streaming) same $$config$8) and (load balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:30
S33	0	(((down$stream$6 same up$stream$6) same streaming) same $$config$8) and (load near2 balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:29
S34	0	(((down$stream$6 same up$stream$6) same streaming) same $$config$8) and (load$6 near2 balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:29
S35	4951	(((down$stream$6 same up$stream$6)) same $$config$8) and (load balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:30
S36	459	(((down$stream$6 same up$stream$6)) same $$config$8) same (load balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:30
S37	10	(((down$stream$6 same up$stream$6)) same $$config$8) same (load near2 balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:38
S38	2	((pool$6 near6 (serve$6 split$6)) same $$config$8) same (load near2 balanc$6) same redirect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:40
S39	61	(((stream$6 serve$6 split$6)) same $$config$8) same (load near2 balanc$6) same redirect$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:46
S40	7	(((stream$6)) same $$config$8) same (balanc$6) same (POP (point$4 near4 prese$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:48
S41	7	(((stream$6)) same ($$config$8 $4assign$6 onlin$6)) same (balanc$6) same (POP (point$4 near4 prese$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:51

S42	2	(((stream$6 with request$6)) same (($$config$8 $4assign$6 onlin$6)) same (balanc$6) same (POP (point$4 near4 prese$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:53
S43	1	(((stream$6 with request$6) with (load$6 near4 balanc$6))) and (($$config$8 $$assign$6 onlin$6) same (POP (point$4 near4 prese$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:56
S44	2	"5758085".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:54
S45	7	(((stream$6 with request$6) same (load$6 near4 balanc$6))) and (($$config$8 $$assign$6 onlin$6) same (POP (point$4 near4 prese$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/08 09:56
S46	37	("4845614" | "4866712" | "4920432" | "4949187" | "4949248" | "5172413" | "5253341" | "5291554" | "5371532" | "5410343" | "5414455" | "5440688" | "5442389" | "5442390" | "5442749" | "5463768" | "5475615" | "5508732" | "5515511" | "5519435" | "5528281" | "5544313" | "5544327" | "5550577" | "5550863" | "5550982" | "5557317" | "5614940" | "5704031" | "5933835" | "5956716" | "6003030" | "6016509" | "6112239" | "6122752" | "6408407" | "6446224").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/08 09:58
S47	0	("6687846").URPN.	USPAT	OR	OFF	2005/02/08 10:05
S48	1	((root$6 near6 split$6) same (load$6 near2 balanc$6))	USPAT	OR	OFF	2005/02/08 10:07
S49	8	((root$6 near6 split$6) and (load$6 near2 balanc$6))	USPAT	OR	OFF	2005/02/08 10:07
S50	4	((root$6 near6 split$6) and ($$config$8 with primar$6))	USPAT	OR	OFF	2005/02/08 10:08
S51	3586	((split$6) and ($$config$8 with primar$6))	USPAT	OR	OFF	2005/02/08 10:08
S52	177	((split$6) with ($$config$8 with primar$6))	USPAT	OR	OFF	2005/02/08 10:10

S53	1	((split$6) with ($$config$8 with primar$6)) and (load$6 near4 balanc$6)	USPAT	OR	OFF	2005/02/08 10:13
S54	2	S52 with new	USPAT	OR	OFF	2005/02/08 10:10
S55	66	((split$6 with primar$6)) and (load$6 near4 balanc$6)	USPAT	OR	OFF	2005/02/08 10:13
S56	66	((split$6 with primar$6)) and (load$6 near4 balanc$6) and back$6	USPAT	OR	OFF	2005/02/08 10:19
S57	14	(((server$6 split$6) with primar$6)) same (load$6 near4 balanc$6) same back$6	USPAT	OR	OFF	2005/02/08 10:19
S58	411	((primar$6 near2 split$6) and ((seconda$6 back$6) near2 (split$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:02
S59	0	S58 and (reconfig$8 and (load$6 near2 balan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:04
S60	6	S58 and (config$8 and (load$6 near2 balan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 16:30
S61	0	((primar$6) and (seconda$6 back$6)) same (reconfig$6 near4 (primar$6)) same (load near2 balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 16:55
S62	13	((primar$6) and (seconda$6 back$6)) same (reconfig$6 near4 (primar$6)) and (load near2 balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 16:57
S63	105	((primar$6) and (seconda$6 back$6)) same (reconfig$6 near4 (primar$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 16:57
S64	6023	((primar$6 near2 (repeat$6 split$6 reflect$6 mirror$6)) and ((seconda$6 back$6) near2 (repeat$6 split$6 reflect$6 mirror$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:09

S65	27	S64 and (reconfig$8 and (load$6 near2 balan$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:04
S66	1032	(upstream$6 near4 (repeat$6 split$6 reflect$6 mirror$6)) and ((downstream$6) near2 (repeat$6 split$6 reflect$6 mirror$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:11
S67	0	((upstream$6 near4 (repeat$6 split$6 reflect$6 mirror$6)) same (downstream$6 near2 (repeat$6 split$6 reflect$6 mirror$6))) same (reconfig$8) and (load$6 near4 balanc$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 18:05
S68	1	((upstream$6 near4 (repeat$6 split$6 reflect$6 mirror$6)) same (downstream$6 near2 (repeat$6 split$6 reflect$6 mirror$6))) same (reconfig$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:18
S69	2	((upstream$6 near4 (repeat$6 split$6 reflect$6 mirror$6)) and (downstream$6 near2 (repeat$6 split$6 reflect$6 mirror$6))) same (reconfig$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:18
S70	81	((upstream$6 near4 (repeat$6 split$6 reflect$6 mirror$6)) and (downstream$6 near2 (repeat$6 split$6 reflect$6 mirror$6))) and (reconfig$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:31
S71	549	(((primar$6 root$6 upstream$6) near4 (repeat$6 split$6 reflect$6 mirror$6)) and ((back$6 second$6 downstream$6) near2 (repeat$6 split$6 reflect$6 mirror$6))) and (reconfig$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:33
S72	121	S71 and (monito$6 with (primar$6 root$6 upstream$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:34
S73	50	((((stream$8) with (repeat$6 split$6 reflect$6 mirror$6)) with (main prima$6 root$6 origin$6)) with ($$config$6 updat$6 switch$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 17:59
S74	0	((reconfig$6 with back$6 with new with primar$6 with (problem$6 fail$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 18:07

S75	95	((reconfig$6 same back$6 same primar$6 same (problem$6 fail$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 18:07
S76	39	((reconfig$6 same back$6 same primar$6 same (problem$6 fail$6))) and (stream$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/23 18:08
S77	9	("4922486" | "5018137" | "5138615" | "5150360" | "5280480" | "5740171" | "5742604" | "5764636" | "5790808").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/23 18:11
S78	33	("6032194").URPN.	USPAT	OR	OFF	2005/02/23 18:13
S79	27	("4931950" | "5119474" | "5274758" | "5400087" | "5455910" | "5485211" | "5487167" | "5533021" | "5537408" | "5577258" | "5583561" | "5594911" | "5621728" | "5623690" | "5635979" | "5666487" | "5675732" | "5699484" | "5778187" | "5805804" | "5815505" | "5886995" | "5892535" | "5892915" | "5918002" | "5940072" | "6012100").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/23 18:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	24	((leaf$6 near2 split$6) with (back$6 second$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:05
S2	2359	((prima$6 near2 (root$6 node$6 split$6)) with (back$6 second$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:06
S3	515	((prima$6 near2 (root$6 node$6 split$6)) with (back$6 second$6)) and ((fail$6 proble$6) with (primar$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/28 15:09
S4	279	S3 and @ad<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:09
S5	5317	((prima$6 near2 (divid$6 multipli$6 multiplexer root$6 node$6 split$6)) with (back$6 second$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:08
S6	741	((prima$6 near2 (divid$6 multipli$6 multiplexer root$6 node$6 split$6)) with (back$6 second$6)) and ((fail$6 proble$6) with (primar$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:08
S7	445	S6 and @ad<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:27
S8	986	((load near2 balanc$6) with (split$6 repeat$6 reflect$6 mirror$6 divid$6 multipli$6 multiplex$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:27
S9	428	S8 and @ad<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:28

S10	22	((load near2 balanc$6) with (split$6 repeat$6 reflect$6 mirror$6 divid$6 multipli$6 multiplex$6)) with (stream$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:27
S11	8	S10 and @ad<"20000601"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/01 10:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((downstream$6 leaf$6) near4 splitt$6) same (primar$6 and backup)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:07
L3	79	((downstream$6 leaf$6) near4 splitt$6) same (primar$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:11
L4	36	3 and @ad<"20000630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:12
L5	164	((downstream$6 leaf$6) with splitt$6) same (primar$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:11
L6	72	5 and @ad<"20000630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:35
L7	6	((reed near2 sloss)).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:34
L8	50782	"714"/$$$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:49
L9	320	8 and (backup and split$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:40

L10	163	9 and @ad<"20000630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:48
L11	3	8 and (root near2 split$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:47
L12	9	8 and (backup near2 split$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:47
L13	207	8 and ((backup root) near2 (mirro$6 repeate$6 reflect$6 split$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:51
L14	105	13 and @ad<"20000630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 18:51
L15	97948	"714"/("2,13,15,16").ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:10
L16	242	15 and ((backup root) near2 (mirro$6 repeate$6 reflect$6 split$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:11
L17	115	16 and @ad<"20000630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:11

L18	1358	"714"/4.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:11
L19	21	18 and ((backup root) near2 (mirro$6 repeate$6 reflect$6 split$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:14
L20	13	19 and @ad<"20000630"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:13
L21	1434	709/231.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:14
L22	2	21 and ((backup root) near2 (mirro$6 repeate$6 reflect$6 split$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/28 19:14